

MADE IN Europe



Multi-brand compatible robotic mower garages

ROBO PROTECT

2022 CATALOGUE



www.robot-protect.com



GARAGES FOR ROBOTIC LAWN MOWER MULTI-BRAND COMPATIBILITY



(D) D D 2

MULTI-BRAND



RESISTANT











Yes, a garage for the robotic lawn mower is essential!

Sun

Robots will be sheltered from sun's ultraviolet rays (and moon). Thanks to their design, the air continues to circulate, favoring good ventilation to prevent stagnation of heat and humidity. If the battery is working with a temperature exceeding 30°C, liftetime will be reduced by 20 %. Robotic lawn mower **screens** are also very **sensitive to the sun and heat**.

Protect your equipment agains heat will really help to **achieve its optium life expectancy** and even extend it.

Rain and sudden showers

Most of robotic lawn mowers are water resistant. However, electronic circuits dislike humidity even more for an extended period of time. Generally, your robot stays **at least 16 hours per day** on its charging station (mostly set for working 4/5 days per week and few hours every day).

Hail, lightning and falling branches

Many dangers are coming from the sky: lightning, hail, falling branches, tile...

Without Robot Protect, you expose your device against these dangers that could cause significant damages on your robot and its charging station. Resistant and quality, our garages will protect them against those risks or at least reduce damages.

Prying eyes and tossed balls

If your robotic mower is outside day and night unattended, it may become an easy target for thieves. Yes, recent models are equipped with an anti-theft system, the automatic mower is an outward sign of wealth and as the French proverb says: "*Live happily live hidden*"

Your neighbor kids or yours enjoy playing ball games in your garden. Strength and accuracy are not always under control, it may possible that the ball hits severally your equipment, robot or its charging station (and not only once).



ROBOL PROTECT

Anthracite grey

Robot Protect C is the smallest model of the range. It enables an optimized protection to **small and medium robotic mowers**.

MADE IN

EUROPE

Amazing pieces of technology, a robotic lawn mower needs a garage to **sustainably and effectively** protect them against different weather conditions that could make them **prematurely obsolete**.



Opening roof system



Easy access to the station

Specifications

Inox base, composite material covered by aluminium sheet

Robot maximum height: 25 cm

Length x Width x Height : 60 x 43 x 30 cm - 4 kg



Multi-brand, it is adapted for lateral outlets as well as back up from the base station.

The 4 anchoring points of the Robot Protect C ensure a secure fastening on the ground. It is supplied with a mounting kit and a manual to allow a quick and easy installation.

Below, a non exhaustive list of the compatible models * :

ROBO P	ROTECT C			
COMPATIBLE BRANDS AND MODELS				
ALKO®	ROBOLINHO E - 500			
AMBROGIO®	L15 - L60 - Série Twenty			
BOSCH®	S+ 350 - S+ 500 - XS300 - M700			
CRAMER®	RM800			
CUB CADET®	XR1 500			
GARDENA®	SILENO Minimo - City			
HONDA®	HRM 40 - HRM 70 live			
HUSQVARNA®	105			
McCULLOCH®	Rob S500 - S600 - S800			
ROBOMOW®	RX 12 U - 20 U - RX 20 PRO - RX 50 U connect - RX 50 PRO S			
STIGA®	M3 - M5 - M7 - 221 - 225S - 230S			
TECHLINE®	D X2 - L X2 - S X2 - S6 - L6 - D1			
WIPER®	Serie Blitz - I			
WOLF GARTEN®	Loopo \$150 - \$300			
YARD FORCE®	SA 900 Eco - 400RI			

euilles d'aluminium

Matériau composite

L




Resistant, our garages are made in Europe with noble materials



An elegant design that will fit perfectly in your garden





garages

Zoom on materials used for the Robot Protect

www.robot-protect.com



Robot Protect A & B are our "intermediate size" garage, It protects the robots against **severe weather and the shocks (balls, falling branches...).**

MADE IN Europe



An elegant look that will enhance your garden

Your **automatic lawn mower** and **its base station** will be subjected to **tremendous ordeals**. Wind, rain, cold, sun and any **bad weather patterns** are different but are all **harmful** for your device.

Specifications

Inox base, composite material covered by aluminium sheet

Robot maximum height: 37 cm

Length x Width x Height : $65 \times 65 \times 40 \text{ cm} - 6 \text{ kg}$





MADE IN

EUROPE

Specifications

Black and grey

Inox base, composite material covered by aluminium sheet

Robot maximum height: 37 cm

Length x Width x Height : 65 x 65 x 40 cm -- 6 kg



In order to give you more choices, 2 colors are available for this model (Anthracite and grey or black and grey).

2 opening systems let you a free access to the robot : the roof alone or the full garage. It will makes easier all **adjustments and checks** on the robot and its charging station.



Opening roof system



Full opening system

For an effective fastening on the ground, our garages Robot Protect A or B have **12 anchoring points**.



Robot Protect garages have been designed to welcome a maximum of models. 3 sizes have been created to optimize the adaptation regarding protection and aestheticism.

Below, a non exhaustive list of the compatible models * :

ROBOLPROT	ect a robol protect b			
COMPATIBLE BRANDS AND MODELS				
ALKO®	ROBOLINHO 700 - 1100 - 3100 - 4100			
AMBROGIO®	L85 - L32 - L35 - L250 - Série 4.0 - Quad			
CRAMER®	RM1000 - RM1500			
CUB CADET®	XR2 1000 - 1500 - 2000			
GARDENA®	SILENO+ 1600 - 440Li - R70Li			
GREENWORKS®	Optimow 10 GRL110 - Optimow 15			
HUSQVARNA®	Automower 305 - 310 - 315(X) - 405X - 415X			
KRESS ROBOTIC®	KR101E - KR110 - KR111 - KR112 - KR113 - KR120E - KR121E - KR122E - KR123E			
McCULLOCH®	Rob R600 - R1000			
ROBOMOW®	RC 304 U - 308 U - 308 PRO - RC 312 PRO S			
STIHL®	RMI 422 - 422 C - 422 PC - 422 P - 522 C			
TECHLINE®	L25i - S25i - D25 - DZ2 - BZ2 - DZ3			
VIKING®	M1422 - M1422 P			
WIPER®	Serie C - Serie F - JXH - XK			
WOLF GARTEN®	Loopo M 1000 - 1500 - 2000			
WORX®	Landroid S300 - M500 - M700 - L1000 - L1500 - L2000			



Robot Protect B is the black & grey alternative of Robot Protect A



The materials quality and their design make the garages robust



Compatible with robotic mowers with lateral outlet and back up from the station



* This Robot Protect product is compatible with the mentioned brands (trademarks owned by third parties which have not any relation with Garden Equipment and its businesses). They are used for ease of reference to help the customer about the compatibility and the origin of the presented product.



Robot Protect XL is reserved for mastodons of its category : Robotic mowers with high mowing capacity.

Under strain, theses machines, capable of swallowing thousands of square meters, also needs garages to **ensure their longevity through time.**

Multi-brand compatible, Robot Protect XL is adapted to **lateral outlets as well as back up from the base station.**

Specifications

Inox base, composite material covered by aluminium sheet

Robot maximum height: 39 cm

Length x Width x Height : 86 x 65 x 40 cm -- 7 kg



12 anchoring points ensure to Robot Protect XL an excellent fixation on the ground. It is delivered with the fixation kit and a manual in order to make installation easily and quickly.

Below, a non exhaustive list of the compatible models * :



9

Thanks to the opening systems (roof only and the full garage), you can easily access to the base station.



A natural ventilation is possible thanks to the smart conception of the garage



* This Robot Protect product is compatible with the mentioned brands (trademarks owned by third parties which have not any relation with Garden Equipment and its businesses). They are used for ease of reference to help the customer about the compatibility and the origin of the presented product.



COMPARATIVE TABLE

Non exhaustive list of the suitable models *

	BRAND AND MODELS	C	ROBOT PROTECT A & B	XL
ALVES	ROBOLINHO E - 500	×	x	x
ALKO®	ROBOLINHO 700 - 1100 - 3100 - 4100		x	x
AMBROGIO®	L15 - L60 - Série Twenty	x	x	x
	L85 - L35 - L250 - Série 4.0 - Quad		x	х
	L350 - Série 4.36			x
POSCUE	S+ 350 - S+ 500 - X5300 - M700	×	x	x
BOSCH®	Indigo S+ 1000 - 1200			x
CRAMERS	RM800	×	x	х
CRAMER®	RM1000 - RM1500		x	х
	XR1 500	×	x	x
CUB CADET®	XR2 1000 - 1500 - 2000		x	x
	XR5 1000 - 2000			x
	SILENO Minimo - City	- X -	x	x
GARDENA®	SILENO+ 1600 - 440Li - R70Li		×	x
	SILENO Life			x
GREENWORKS®	Optimow 10 GRL110 - Optimow 15		x	x
	HRM 40 - HRM 70 Live	x	x	x
HONDA®	HRM 310 - 520 - 3000			x
	Automower 105	×	x	х
HUSQVARNA®	Automower 305 - 310 - 315(X) - 405X - 415X	1	x	х
	Automower 420 - 430X - 440 - 450X - 520 - 550 (EPOS)			x
JOHN DEERE®	Tango E5			x
RESS ROBOTIC®	Mission KR101E - KR110 - KR111 - KR112 - KR113 - KR120E - KR121E - KR122E - KR123E		x	x
	Rob 5500 - 5600 - 5800	x	x	x
McCULLOCH®	Rob R600 - R1000		x	х
	RX12 U - 20 U - RX20 Pro - RX50 U - RX50 Pro S	x	x	х
ROBOMOW®	RC304 U - 308 U - 308 Pro - RC312 Pro S		x	x
	RK 1000 - RK 2000			x
5.2.5	M3 - M5 - M7 - 221 - 225 S - 230 S	x	x	x
STIGA®	528 S - 530 SG	-		x
	RM1422 - 522 C		x	х
STIHL®	RMI 632			x
	D X2 - L X2 - S X2 - S6 - L6 - D1	x	x	x
TECHLINE®	L25i - S25i - D25 - DZ2 - BZ2 - DZ3		x	x
	L X4 - B X4 - L35i - L X6			x
VIKING®	MI422 - MI422 P		×	х
	Serie Blitz - I	x	x	x
WIPER®	Serice C - Serie F - JHX - XK		x	х
	Serie K - KS - P		2	x
WOLF GARTEN®	Loopo 5150 - 5300	x	x	х
	Loopo M1000 - 1500 - 2000		x	x
WORX®	Landroid S300 - M500 - M7000 - L1000 - L1500 - L2000	-	x	x
	SA 900 ECO - 400RI	x	x	x

Recommended Suitable Inappropriate

* This Robot Protect product is compatible with the mentioned brands (trademarks owned by third parties which have not any relation with Garden Equipment and its businesses). They are used for ease of reference to help the customer about the compatibility and the origin of the presented product.

www.robot-protect.com



The Robot Protect Life garage will **protect your robot efficiently** from weather conditions and will be a **real planter** to grow herbs, decorative plants, strawberries...

MADE IN

EUROPE

It will protect your robotic mower and its charging station from bad weather and especially from overexposure to the sun (anti-UV protection) to **ensure the longevity** of your device.

Specifications

11

Inox base, composite material covered by aluminium sheet

Robot maximum height: 38 cm

Length x Width x Height : Inner usable dimension 73,5 x 59 x 40 cm -- 9 kg





Gris Anthracite

NEW PRODUCT

In harmony with your garden



Planter max load : Up to 20 kg

Multi-brand, it adapts to mowing robots that leave their base in lateral as well as back up.



Both practical and aesthetic, this product **made in Europe** has 7 anchoring points to ensure a good fixation on the ground. The fixing kit and the instructions will enable you to assemble it quickly and easily.

Below, a non exhaustive list of the compatible models * :

	COMPATIBLE BRANDS AND MODELS		
ALKO® ROBOLINHO E500 - 700 - 1100 - 3100 - 4100			
AMBROGIO®	L15 - L60 - Série Twenty - L32 - L35 - L250 - Série 4.0 - Quad		
BOSCH®	\$+350 - \$+500 - X\$300 - M700		
CRAMER®	RM800 - RM1000 - RM1500		
CUB CADET®	XR1 500 - XR2 1000 - XR2 1500 - XR2 2000 - XR5 1000 - XR5 2000		
GARDENA®	Sileno+ - Minimo - City - 1600 - 440Li - R70Li - Life		
GREENWORKS®	Optimow 10 GRL110 - Optimow 15		
HONDA®	Miimo HRM40 - HRM70 - HRM310 - HRM320		
HUSQVARNA®	Automower 105 - 305 - 310 - 315(X) - 405X - 415X		
KRESS ROBOTIC®	KR101E - KR110 - KR111 - KR112 - KR113 - 120E - 121E - 122E - 123E		
McCULLOCH®	Rob 5500 - 5600 - 5800 - R600 - R1000		
ROBOMOW®	RX12 - RX20 - RX50 - RC304 - RC308 - RC312 - RK1000 - RK2000		
STIGA®	M3 - M5 - M7 - 221 - 2255 - 2305 - 5285 - 5305G		
STIHL®	RMI 422 - RMI 522		
TECHLINE®	DX2 - SX2 - LX2 - S6 - L6 - D1 - L25i - S25i - D25 - DZ2 - BZ2 - DZ3 - LX4 - BX4		
VIKING®	MI422 - MI422 P		
WIPER®	Série Blitz - Série I - Série C - Série F - JXH - XK - Série K - KS		
WOLF GARTEN®	Loopo \$150 - \$300 - M1000 - M1500 - M2000		
WORX®	Landroid 5300 - M500 - M700 - L1000 - L1500 - L2000		
YARD FORCE®	SA 900 Eco - 400RI		




Aromatics, decorative plants, flowers... Let your imagination run wild with Robot Protect Life



The garage has been designed so that the water drains outside





STAINLESS STEEL

* This Robot Protect product is compatible with the mentioned brands (trademarks owned by third parties which have not any relation with Garden Equipment and its businesses). They are used for ease of reference to help the customer about the compatibility and the origin of the presented product.

TRIPLE THICKNESS

REINFORCING BAR









Z.I du Plessis Beuscher - 35220 Châteaubourg - FRANCE

Phone number : +33(0)9 72 57 76 38 - Fax : +33(0)0 72 57 76 42 contact@garden-equipment.fr

www.robot-protect.com